


 > Products > Adaptors > Adaptors in series

Cables >

Connectors >

Cable Assemblies >

Phase shifters >

Adaptors ▾

Adaptors in series

Adaptors between series

Phase Matched Adaptors

RF Contacts >

Engineering
Information >

We design and manufacture the largest variety of RF and microwave adaptors in the industry!



> 1.85 mm adaptors

> 2.4 mm adaptors

> 2.9 mm adaptors

> 3.5 mm adaptors


> ATNC adaptors

> HN adaptors

> N adaptors

> SC adaptors

▾ SMA adaptors



Dr. Michael Gnoth
 General Manager

✉ E-Mail

☎ +971 4 81 35 35-0

📠 +971 4 81 35 35-1


Choose another country:



SMA jack - SMA jack
 Part no. 29035


 - frequency 18 GHz max.
 - VSWR 1.15 : 1 max.
 - I.L. 0.20 dB max.

 Item no.
 29035
 29035-1

 Lockwasher
 no
 yes


 Hex Nut
 no
 yes

SMA jack - SMA jack, flanged
 Part no. 29074

 - frequency 18 GHz max.
 - VSWR 1.15 : 1 max.
 - I.L. 0.25 dB max.
 - figure [S3 flange detail](#)




SMA jack - SMA jack, flanged
Part no. 29074F-1

- frequency 18 GHz max.
- VSWR 1.15 : 1 max
- I.L. 0.30 dB max
- figure [S3 flange detail](#)




SMA jack - SMA jack, bulkhead
Part no. 29041-1

- frequency 18 GHz max.
- VSWR 1.15 : 1 max
- I.L. 0.30 dB max
- figure [PC2 panel cut out](#)




SMA jack - SMA jack, bulkhead
Part no. 29041-3

- frequency 18 GHz max.
- VSWR 1.15 : 1 max
- I.L. 0.30 dB max
- figure [PC3 panel cut out](#)




SMA jack - SMA jack, bulkhead
Part no. 29085

- frequency 18 GHz max.
- VSWR 1.15 : 1 max
- I.L. 0.25 dB max
- figure [PC4 panel cut out](#)




SMA jack - SMA jack, bulkhead
Part no. 29285G

- frequency 22 GHz max.
- VSWR 1.30:1 max at 10.0 GHz
- VSWR 1.45:1 max at 22.0 GHz
- I.L. 0.55 dB max
- figure [PC4 panel cut out](#)




SMA plug - SMA jack
Part no. 29089

- frequency 18 GHz max.
- VSWR 1.15 : 1 max
- I.L. 0.25 dB max




SMA plug - SMA jack, flanged
Part no. 29089F

- frequency 18 GHz max.
- VSWR 1.15 : 1 max
- I.L. 0.25 dB max
- figure [S3 flange detail](#)




SMA jack - SMA plug, bulkhead
Part no. 29086

- frequency 18 GHz max.
- VSWR 1.15 : 1 max
- I.L. 0.35 dB max
- figure [PC4 panel cut out](#)




SMA jack - SMA plug, bulkhead
Part no. 29089-2

- frequency 18 GHz max.
- VSWR 1.15 : 1 max
- I.L. 0.35 dB max
- figure [PC9 panel cut out](#)




SMA plug - SMA plug
Part no. 29036-1

- frequency 18 GHz max.
- VSWR 1.15 : 1 max
- I.L. 0.25 dB max




90° sweep SMA jack - SMA jack
Part no. 29516

- frequency 20 GHz max.
- VSWR 1.18 : 1 max
- I.L. 0.25 dB max




90° sweep SMA jack - SMA jack, bulkhead
Part no. 29525

- frequency 20 GHz max.
- VSWR 1.20 : 1 max
- I.L. 0.40 dB max
- figure [PC8 panel cut out](#)




90° sweep SMA jack - SMA plug
Part no. 29515

- frequency 20 GHz max.
- VSWR 1.15 : 1 max
- I.L. 0.25 dB max




90° sweep SMA jack - SMA plug, bulkhead
Part no. 29526

- frequency 20 GHz max.
- VSWR 1.20 : 1 max
- I.L. 0.40 dB max
- figure [PC8 panel cut out](#)




90° sweep SMA plug - SMA plug
Part no. 29519

- frequency 20 GHz max.
- VSWR 1.18 : 1 max
- I.L. 0.25 dB max




Right angle SMA jack - SMA jack
Part no. 29212-3

- frequency DC to 18 GHz max.
- VSWR 1.20 : 1 max
- frequency 18 to 21 GHz max.
- VSWR 1.25 : 1 max
- frequency 21 to 25 GHz max.
- VSWR 1.35 : 1 max
- I.L. 0.40 dB max

**Right angle SMA plug - SMA jack**

Part no. 29212-1

- frequency DC to 21 GHz max
- VSWR 1.15 : 1 max
- frequency 21 to 25 GHz max
- VSWR 1.27 : 1 max
- frequency DC to 21 GHz max
- I.L. 0.20 dB max
- frequency 21 to 25 GHz max
- I.L. 0.30 dB max

**Right angle SMA plug - SMA plug**

Part no. 29212-2

- frequency DC to 18 GHz max
- VSWR 1.20 : 1 max
- frequency 18 to 21 GHz max
- VSWR 1.25 : 1 max
- frequency 21 to 25 GHz max
- VSWR 1.35 : 1 max
- I.L. 0.40 dB max

[› SMP adaptors](#)[› SMPM adaptors](#)[› SSMA adaptors](#)[› TK adaptors](#)[› TNC adaptors](#)**Corporate Information**

About us
Jobs and career

Quick Links

Products

Customer Support

Contact Search

Other Businesses

Composites
Radio Frequency Division
Fiber Optics Division
Low Frequency Division

[Disclaimer](#) | [Privacy Policy](#) | [Terms and Conditions](#) | [Sitemap](#) |



© 2014 HUBER+SUHNER