

OX C PAT. - OX E PAT.

Cable Clamps

CABLE CLAMPS & FASTENING DEVICES
PRODUCT CATALOGUE

OX C - Clamps for Power Cables and Pipes
Complete with Saddles

For PCI 40x22 section
for 1, 2, 3 cables or pipes.

OX C - Fissacavi per Conduttori Elettrici e Tubi
Completi di Selle

Per profilato PCI 40x22
per 1, 2, 3 cavi o tubi.





FIGURE	CODE	ARTICLE	N° CABLES	L	ø CABLES	BOX	WEIGHT
	60 1514 0861	OX C / 1 x 12	1	12	6 - 12	100	40
	60 1514 0863	OX C / 1 x 22	1	22	12 - 22	100	56
	60 1514 0865	OX C / 1 x 34	1	34	22 - 34	100	92
	60 1514 0867	OX C / 1 x 46	1	46	34 - 46	50	122
	60 1514 0869	OX C / 1 x 58	1	58	46 - 58	50	146
	60 1514 0871	OX C / 1 x 70	1	70	58 - 70	50	164
	60 1514 0872	OX C / 1 x 80	1	80	70 - 80	25	180
	60 1514 0874	OX C / 2 x 12	2	12	6 - 12	100	52
	60 1514 0876	OX C / 2 x 22	2	22	12 - 22	100	82
	60 1514 0878	OX C / 2 x 34	2	34	22 - 34	100	148
	60 1514 0886	OX C / 3 x 12	3	12	6 - 12	100	65
	60 1514 0888	OX C / 3 x 22	3	22	12 - 22	100	112
	60 1514 0890	OX C / 3 x 34	3	34	22 - 34	100	198



OX E - Clamps for Power Cables and Tubes
Complete with Saddles

For section PCI 40x22, flat and round 3-12
for 1, 2, 3 cables or tubes.

OX E - Fissacavi per Conduttori Elettrici e Tubi
Completi di Selle


Per profilato PCI 40x22 e piatto/tondo 3-12
per 1, 2, 3 cavi o tubi.

FIGURE	CODE	ARTICLE	n. CABLES	L	ø CABLES	BOX	WEIGHT
	60 1518 0801	OX E / 1 x 12	1	12	6 - 12	100	40
	60 1518 0803	OX E / 1 x 22	1	22	12 - 22	100	56
	60 1518 0805	OX E / 1 x 34	1	34	22 - 34	100	92
	60 1518 0807	OX E / 1 x 46	1	46	34 - 46	50	122
	60 1518 0809	OX E / 1 x 58	1	58	46 - 58	50	146
	60 1518 0811	OX E / 1 x 70	1	70	58 - 70	50	164
	60 1518 0812	OX E / 1 x 80	1	80	70 - 80	25	180
	60 1518 0814	OX E / 2 x 12	2	12	6 - 12	100	52
	60 1518 0816	OX E / 2 x 22	2	22	12 - 22	100	82
	60 1518 0818	OX E / 2 x 34	2	34	22 - 34	100	148
	60 1518 0820	OX E / 3 x 12	3	12	6 - 12	100	65
	60 1518 0822	OX E / 3 x 22	3	22	12 - 22	100	112
	60 1518 0824	OX E / 3 x 34	3	34	22 - 34	100	198


Self-Locking System Patented



Ribbed Pressure Plate Pat.



Self-Locking Screw Pat.



Patented






OX - Clamps for Power Cables and Pipes Secure and Safe Locking

OX cable clamps are suitable to install cables and pipes to different structures. OX cable clamps are provided with **SEP** "V" profile saddles, and suitable for a large range of cable diameters. Stocking is simplified


OX - Fissacavi per Conduttori Elettrici e Tubi Bloccaggio Sicuro Antisfondamento

*I fissacavi della serie OX servono per fissare cavi e tubi a strutture diverse. I fissacavi OX sono muniti di selle **SEP** con profilo interno a "V". Ciò permette di fissare cavi e tubi di diametri diversi per ogni misura di morsetto, semplificando così il magazzino.*




MATERIAL


Metal Parts	AISI 304 Stainless Steel
Saddle	Fiberglass P.A. U.V. Resistant
Colour	Black (Grey on Request)



SRF M with SAS M (Special Clamp)
On Round



OX C with SAT M (Special Clamp)
On PCI



OX B with SAT M (Special Clamp)
On Flat