


OX A5^{PAT.} - OX B^{PAT.}

Cable Clamps

CABLE CLAMPS & FASTENING DEVICES
PRODUCT CATALOGUE



OX A5 - Clamps for Power Cables and Pipes
Complete with Saddles

For 50x50 angular
for 1, 2, 3 cables or pipes.

OX A5 - Fissacavi per Conduttori Elettrici e Tubi
Completi di Selle

Per angolare 50x50
per 1, 2, 3 cavi o tubi.

FIGURE	CODE	ARTICLE	N° CABLES	L	ø CABLES	BOX	WEIGHT
	60 1517 0801	OX A5 / 1 x 12	1	12	6 - 12	100	61
	60 1517 0803	OX A5 / 1 x 22	1	22	12 - 22	100	77
	60 1517 0805	OX A5 / 1 x 34	1	34	22 - 34	100	121
	60 1517 0807	OX A5 / 1 x 46	1	46	34 - 46	50	147
	60 1517 0809	OX A5 / 1 x 58	1	58	46 - 58	50	175
	60 1517 0811	OX A5 / 1 x 70	1	70	58 - 70	50	189
	60 1517 0812	OX A5 / 1 x 80	1	80	70 - 80	25	212
	60 1517 0814	OX A5 / 2 x 12	2	12	6 - 12	100	69
	60 1517 0816	OX A5 / 2 x 22	2	22	12 - 22	100	111
	60 1517 0818	OX A5 / 2 x 34	2	34	22 - 34	100	177
	60 1517 0820	OX A5 / 3 x 12	3	12	6 - 12	100	82
	60 1517 0822	OX A5 / 3 x 22	3	22	12 - 22	100	141
	60 1517 0824	OX A5 / 3 x 34	3	34	22 - 34	100	227

OX B - Clamps for Power Cables and Pipes
Complete with Saddles

For 3-12 flat and round
for 1, 2, 3 cables or pipes.

OX B - Fissacavi per Conduttori Elettrici e Tubi
Completi di Selle

Per piatto e tondo 3-12
per 1, 2, 3 cavi o tubi.





FIGURE	CODE	ARTICLE	N° CABLES	L	ø CABLES	BOX	WEIGHT
	60 1513 0841	OX B / 1 x 12	1	12	6 - 12	100	44
	60 1513 0843	OX B / 1 x 22	1	22	12 - 22	100	62
	60 1513 0845	OX B / 1 x 34	1	34	22 - 34	100	98
	60 1513 0847	OX B / 1 x 46	1	46	34 - 46	50	126
	60 1513 0849	OX B / 1 x 58	1	58	46 - 58	50	150
	60 1513 0851	OX B / 1 x 70	1	70	58 - 70	50	168
	60 1513 0852	OX B / 1 x 80	1	80	70 - 80	25	187
	60 1513 0854	OX B / 2 x 12	2	12	6 - 12	100	60
	60 1513 0856	OX B / 2 x 22	2	22	12 - 22	100	92
	60 1513 0858	OX B / 2 x 34	2	34	22 - 34	100	156
	60 1513 0860	OX B / 3 x 12	3	12	6 - 12	100	73
	60 1513 0862	OX B / 3 x 22	3	22	12 - 22	100	122
	60 1513 0864	OX B / 3 x 34	3	34	22 - 34	100	206


Self-Locking System Patented



Ribbed Pressure Plate Pat.



Self-Locking Screw Pat.



Patented






OX - Clamps for Power Cables and Pipes Secure and Safe Locking

OX cable clamps are suitable to install cables and pipes to different structures. OX cable clamps are provided with **SEP** "V" profile saddles, and suitable for a large range of cable diameters. Stocking is simplified


OX - Fissacavi per Conduttori Elettrici e Tubi Bloccaggio Sicuro Antisfondamento

*I fissacavi della serie OX servono per fissare cavi e tubi a strutture diverse. I fissacavi OX sono muniti di selle **SEP** con profilo interno a "V". Ciò permette di fissare cavi e tubi di diametri diversi per ogni misura di morsetto, semplificando così il magazzino.*




MATERIAL


Metal Parts	AISI 304 Stainless Steel
Saddle	Fiberglass P.A. U.V. Resistant
Colour	Black (Grey on Request)



SRF M with SAS M (Special Clamp)
On Round



OX C with SAT M (Special Clamp)
On PCI



OX B with SAT M (Special Clamp)
On Flat